

COMPANY INTRODUCTION



BUSINESS MAIL



toyotech@toyotech.co.kr

TOYOTECH®

CONTENTS

01 COMPANY OVERVIEW

02 BUSINESS INTRODUCTION

03 PRODUCTS INTRODUCTION

01

COMPANY OVERVIEW

대표 인사말

안녕하십니까

도요테크(주)는 1992년 2월에 창업하였으며, 주력 제품인 직류전원공급기와 전자로드를 비롯하여 전기, 전자 관련 범용 계측기를 생산하여 국내 및 해외에 **TOYOTECH** 상표로 판매하고 있습니다.

또한, 해외의 메이커와 한국 대리점을 체결하여 우수한 제품들을 한국 시장의 사업체, 연구소, 학교 등에 공급하고 있습니다.

당사의 오랜 경험과 지식을 바탕으로 다양한 제품을 끊임없이 연구 개발하고 최상의 제품을 공급 하도록 노력하겠습니다.

회사 소개

상호명 도요테크 주식회사

대표 이사 오영도

설립일 1992.02.10

사업 영역 Standard DC Power Supply
Programmable DC Power Supply
Programmable DC Electronic Load
Electronic Measuring Instrument

소재지 인천광역시 부평구 부평대로 337, 부평 제이타워3차 833호,834호

대표 전화 032-541-2371

팩스 번호 032-541-2375

회사 연혁

- 2017.06 NINGBO JIUYUAN ELECTRONIC CO., LTD. **Sole Agents 계약**
- 2015.05 도요테크 주식회사 상호 변경
- 2006.10 SANWA ELECTRIC INSTRUMENT CO., LTD. **Sole Agents 계약**
- 2005.05 동양테크 주식회사 법인 전환
- 2003.05 SHENZHEN RICH TEST MEASUREMENT INSTRUMENTATION CO., LTD. **Sole Agents 계약**
- 1992.03 CUSTOM CORPORATION. **Sole Agents 계약**
- TOYO KEISOKUKI CO.,LTD. **Sole Agents 계약**
- 1992.02 삼양전자교역 창업

도요테크(주) 경쟁력



국내 자체 A/S

자체 서비스 센터를 운영하여 보다 나은 서비스를 제공해 드리고 있습니다.



신속 납기 대응

3000대 이상 재고 확보하고 있어 빠른 납기가 가능합니다.



해외 신뢰감 있는 파트너십

해외 파트너십에 대한 많은 경험과 높은 신뢰를 가지고 있습니다.



업계 인지도 최상

30년 이상의 회사로 업계 인지도는 최상입니다.

현재 도요테크(주) 수리실



현재 도요테크(주) 물류창고



02

BUSINESS INTRODUCTION

사업 영역



Standard DC Power Supply

SMPS Type 16종
Linear Type 27종

Programmable DC Power Supply

TEX Series
TEX-TB Series
TPT Series
TMX Series



DC Electronic Load

TLF Series



Electronic Measuring Instrument

Clamp Meter
Leak Current
Circuit Breaker
DMM
Insulation Tester
EMF Detector

해외 주요 파트너



SHENZHEN RICH TEST MEASUREMENT
INSTRUMENTATION CO., LTD.
(Power 27종 수입)

NINGBO JIUYUAN ELECTRONIC CO., LTD.
(Power 28종 수입)



TOYO KEISOKUKI CO., LTD.

CUSTOM CORPORATION.



Global Link

MSA Group/BACHARACH

03

PRODUCTS INTRODUCTION

Programmable DC POWER SUPPLY

TEX Series

19inch Rack standard (1U, 2U, 4U)
600W~10,000W Line-up
4Digit
RS-232C, RS-485 (TCP/IP option)



TEX-TB Series

Compact size (done Rack)
600W~2,400W / Line-up
4Digit
RS-232C, RS-485 (TCP/IP option)



TPT Series

Rack standard (19inch 1/6 Size)
200W/400W Line-up
4Digit
Analog Input Control
RS-232C, RS-485 (TCP/IP option)



TMX Series

15kW 19inch 3U Rack standard
10kW~300kW Line-up
4Digit
RS-232C, RS-485 (TCP/IP option)
11 kinds of Protection Modes



Programmable DC POWER SUPPLY

TEX Series

고성능, 고효율의 슬림형 19인치 RACK 표준형 제품

- 4-Digit display resolution
- Slim and compact, space efficiency - up to 2.5KW in 1U size
- Protection mode - OCP, OVP (Over voltage protection)
- Locking mode - UVL, UCL, OVL, OCL (Over current limit)
- Save and Recall function - up to 10 states
- 11 kinds of Factory mode - User memory clear, last state, calibration, back-up etc.)
- Communication interface - RS-232C, RS-485, USB, TCP/IP(option)
- Easy Calibration by product & software
- Analog Programming & Monitoring (option) - 0~10V or 0~5V

Dimensions

1U (600~2.5kW) : 426mm(W) x 44mm(H) x 550mm(D)

2U (3.75~5kW) : 426mm(W) x 88mm(H) x 550mm(D)

4U (6~10kW) : 426mm(W) x 176mm(H) x 550mm(D)



Programmable DC POWER SUPPLY

TMX Series

고용량, 고정밀의 15kW 3U Size 제품

- 4-Digit display resolution
- High Power Density up to 10kW, 15kW in 3U
- Save and Recall function - up to 10 states
- 11 kinds of Protection Modes : OVP, OCP, OTP, AC Input Range, AC Phase, PFC, FAN, Module Balance, Control VCC, V-Sensing, Max Watt Trip
- 11 diverse Factory Modes(User memory clear, Last state, Calibration- Restore etc.)
- Calibration Function(Manual and PC)
- AC Input 380/400Vac 3phase
- RS-232C, RS485 (TCP/IP is optional)
- SCPI compatible protocol is supported and Modbus is selectable for RS485



Dimensions

15kW : 429mm(W) x 133mm(H) x 670mm(D)

- 01 COMPANY OVERVIEW
- 02 BUSINESS INTRODUCTION
- 03 PRODUCTS INTRODUCTION

Standard DC POWER SUPPLY

SMPS Type (1CH / 2CH 총 16모델)



SMPS 소형 타입
TS-A / A-1 Series



SMPS 중형 타입
TS-A Series



SMPS 대형 타입
TS-C Series

Standard DC POWER SUPPLY

Linear Type (1CH / 2CH 총 27모델)



TDP-A / B Series



TDP-B Series



TL-P Series



TL-TP Series



DP-A / C / U Series



DP-TP Series



DP-FU Series



DP-DU Series



TL-N Series



TL-T Series



TL-TN Series

Programmable DC ELECTRONIC LOAD

- 5- Digit display resolution
- 우수한 Load 및 Line regulation
- Protection : OVP, OCP, OPP, OTP, OVR, OCR
- 다양한 Mode 제공
CC, CV, CR, CP, ON/OFF, Fuse/Battery Test, Short, Cycling, Dynamic
- Mode On시 디스플레이 페이지 변경으로 여러 가지 데이터 확인 (전압, 전류, 전력, 시간 등)
- Communication interface - RS-232C, RS-485 (TCP/IP option)

Dimensions

~300W : 213mm(W) x 88mm(H) x 350mm(D)

600W : 213mm(W) x 88mm(H) x 450mm(D)

900W~1200W : 426mm(W) x 88mm(H) x 550mm(D)

1500W~2100W : 426mm(W) x 176mm(H) x 600mm(D)

TLF Series

고성능, 고효율의 프로그래머블 전자로드



ATE SYSTEM

- Battery Charging/Discharging Test
- Automobile and E/V automotive Test
- OLED, LED Test
- Electrical and Electronic Components Test
- Nuclear Power Plant & Heavy Ion Accelerator Test
- Photovoltaic Test System and Solution
- Military Defense Test System and Solution
- Semiconductor Test System and Solution



- 01 COMPANY OVERVIEW
- 02 BUSINESS INTRODUCTION
- 03 PRODUCTS INTRODUCTION

ETC.



Clamp Meter



Leak Current



Circuit Breaker



DMM



Pocket DMM



Insulation Tester



EMF Detector

THANK YOU



BUSINESS MAIL



toyotech@toyotech.co.kr

TOYOTECH®